



**CONSTRUCTION SITE EROSION CONTROL  
AND  
STORM WATER MANAGEMENT**

**PERMIT APPLICATION**

Green Lake County  
Department of Land Conservation  
571 County Road A, P.O. Box 3188  
Green Lake, WI 54941-3188  
Phone 920-294-4051  
FAX 920-294-4056  
Email: lcd@co.green-lake.wi.us

**A Construction Site Erosion Control and Storm Water Management permit is required for a land disturbing activity affecting a surface area equal to or greater than 2,000 square feet or on a slope greater than 12 percent by Green Lake County Code Chapter 284: Construction Site Erosion Control and Storm Water Management, found at: [www.co.green-lake.wi.us](http://www.co.green-lake.wi.us)**

**No landowner or land user may commence a land disturbance or land development activity subject to this ordinance without receiving prior approval of a control plan for the site and a permit from Green Lake County.**

**Instructions:**

1. Complete this permit application giving consideration to potential erosion that may occur before, during, and after grading. Water runoff patterns can change significantly as a site is reshaped.
2. Submit this application with the appropriate fee, payable to Green Lake County, (see page 4 of this application) to the Green Lake County Land Conservation Department at the address above.
3. Within 10 business days of receipt of this application and fee, the Land Conservation Department will review the application, determine if it meets the requirements of the ordinance, and issue a permit. If the ordinance requirements are not met, the Land Conservation Department will inform the applicant in writing of either required additional information, or disapproval of the application. Within 10 business days of receipt of any required additional information, the Land Conservation Department will again determine if the ordinance requirements are met, and either issue a permit, or inform the applicant in writing of the reasons for the disapproval.
4. Submit this plan at the time of building permit application or before any land disturbing activity begins.

**Landowner** \_\_\_\_\_

Mailing Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_ Email \_\_\_\_\_

Home Phone \_\_\_\_\_ Work Phone \_\_\_\_\_ Mobile Phone \_\_\_\_\_

---

**Project Type** \_\_\_\_\_ ID# \_\_\_\_\_

Project Start Date \_\_\_\_\_

Project Address/Location \_\_\_\_\_

Parcel/Tax ID # \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Township \_\_\_\_\_ 1/4, \_\_\_\_\_ 1/4, Sec \_\_\_\_\_ T \_\_\_\_\_ N, R \_\_\_\_\_ E,

Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision/Plat \_\_\_\_\_ CSM # \_\_\_\_\_ Lot \_\_\_\_\_

---

**Contractor** \_\_\_\_\_

Mailing Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_ Email \_\_\_\_\_


Home Phone \_\_\_\_\_ Work Phone \_\_\_\_\_ Mobile Phone \_\_\_\_\_

# EROSION CONTROL PLAN CHECKLIST












Complete the site diagram below or include on a separate sheet. Check (✓) appropriate boxes to questions on pages 3 and 4 with information to be included on the site diagram.

## Site Diagram


Scale: 1 inch = \_\_\_\_\_ feet



### EROSION CONTROL PLAN LEGEND

-  PROPERTY LINE
-  EXISTING DRAINAGE
-  TD TEMPORARY DIVERSION
-  FINISHED DRAINAGE
-  LIMITS OF GRADING
-  SILT FENCE
-  STRAW BALES
-  GRAVEL
-  VEGETATION SPECIFICATION
-  TREE PRESERVATION
-  STOCKPILED SOIL

Please indicate north by completing the arrow below.



Completed  
Not Applicable

## Site Characteristics

- North arrow, scale, and site boundary. Indicate and name adjacent streets or roadways.
- Location of existing drainageways, streams, rivers, lakes, wetlands or wells.
- Location of storm sewer inlets.
- Location of existing and proposed buildings and paved areas.
- The disturbed area on the lot, dimensions and distance from property boundaries.
- Approximate gradient and direction of slopes before grading operations.
- Approximate gradient and direction of slopes after final grading operations.
- Overland runoff (sheet flow) and channelized flow coming onto the site from adjacent areas.

## Erosion Control Practices

- Location of temporary soil storage piles.**  
*Note: Soil storage piles should be placed behind a sediment fence, or should be covered with a tarp and more than 25 feet from any downslope road or drainageway.*
- Location of access drive(s).**  
*Note: Access drive should have 2 to 3 inch aggregate stone laid at least 7 feet wide and 6 inches thick. Drives should extend from the roadway 50 feet or to the house foundation (whichever is less).*
- Location of sediment controls (filter fabric fence or straw bale fence) that will prevent eroded soil from leaving the site.**
- Location of diversions.**  
*Note: It is required that concentrated flow (drainageways) be diverted (re-directed) around disturbed areas. If practical, overland runoff (sheet flow) from adjacent areas greater than 10,000 sq. ft. shall also be diverted around disturbed areas.*
- Location of practices that will be applied to control erosion on steep slopes (greater than 12% grade).**  
*Note: Such practices include maintaining existing vegetation, placement of additional sediment fences, diversions, and revegetation by sodding or by seeding with use of erosion control mats.*
- Location of practices that will control erosion in areas of concentrated runoff flow.**  
*Note: Unstabilized drainageways, ditches, diversions, and inlets should be protected from erosion through use of such practices as in-channel fabric or straw bale barriers, erosion control mats, staked sod, and rock rip-rap. When used, a given in-channel barrier should not receive drainage from more than two acres of unpaved area, or one acre of paved area. In-channel practices should not be installed in perennial streams (streams with year-round flow).*
- Location of other planned practices not already noted.**

